




SETTING THE STANDARD FOR EXCELLENCE

Setting the Standard for Excellence

Contents

Carlisle SynTec Systems, the flagship division of Carlisle Construction Materials (CCM), is the largest supplier of commercial roofing products in the world. Carlisle produces high-performance EPDM, TPO, PVC, and FleeceBACK® single-ply roofing membranes, a full line of polyiso and expanded polystyrene insulation, and a wide variety of solvent-based and low-VOC adhesives. With more than 55 years of manufacturing experience and billions of square feet of roofing materials sold, Carlisle continues to lead the industry by providing the best products, services, and warranty options available today.



Experience the Carlisle Difference

First-class products | Focused on quality | Unmatched customer service Unparalleled technical support | Accurate order entry & timely delivery

INDUSTRY-LEADING MANUFACTURING CAPABILITIES

Carlisle Construction Materials is the only roofing manufacturer to produce all three major roofing membranes – EPDM, TPO, and PVC – and is the world's largest manufacturer of EPDM, TPO, and polyiso insulation. Carlisle's more than 55 years of manufacturing experience are reflected in its innovative, durable products, all of which are designed to enhance roof system performance. Today, billions of square feet of warranted Carlisle roof systems protect buildings worldwide.

INNOVATIVE PRODUCT DEVELOPMENT

Carlisle is dedicated to leading the industry in innovation by developing and manufacturing the most progressive and innovative building materials on the market. Every Carlisle product is designed to enhance building performance and contractor efficiency. Carlisle has pioneered productivityboosting products, such as Factory-Applied Tape[™] and Flexible FAST Adhesive[™], and has developed true market differentiators, such as FleeceBACK membranes, the OctaGuard XT[™] Weathering Package, KEE-enhanced PVC, and APEEL[™] Protective Film – reshaping the commercial roofing landscape.

CCM MANUFACTURING CAPACITY

EPDM Manufacturing Lines TPO Manufacturing Lines PVC Manufacturing Line dro dro dro dro dro dro dro 8 Polyisocyanurate Manufacturing Lines g **EPS Manufacturing Lines** Adhesive Manufacturing Line

Tape Manufacturing Line



Carlisle revolutionized the roofing industry with the installation of the first adhered single-ply membrane on a sectio of Chicago's O'Hare Internat nal Airport



developed into a major

line for Carlisle.

the first polyester reinforced FPDM membrane, as well as the first white FPDM roofing system



1993

Sure-Weld® TPO is Carlisle launched introduced by Carlisle its revolutionary making it the company's FleeceBACK and FAST Adhesive roofing first thermoplastic product line system




EPDM with Factory-Applied Tape (FAT) was developed, improving seaming productivity by approximately 75%.





Carlisle launched its Sure-Weld TPO with Self-Adhering Technology (SAT[™]).



Carlisle introduced Sure-Flex™

KEE, a high-performance PVC

membrane containing Elvaloy®

The OctaGuard XT

weathering package for

Sure-Weld TPO roofing

membranes was introduced



The industry's only FM-approved air and vapor barrier for direct-to-metal-deck applications – Carlisle's VanAir Seal[™] MD – entered the market.



DEDICATED TRAINING & EDUCATION

Carlisle employs an in-house training staff dedicated to providing construction professionals with comprehensive training and continuing education opportunities. To further this mission, Carlisle recently opened its Training and Education Center. which is a multi-million-dollar, state-of-the-art training facility.

STRENGTH OF THE BRAND

CCM is a business segment of Carlisle Companies Incorporated, a leading supplier of premium building materials for the roofing, waterproofing, framing, and general construction industries. With a presence in over 50 countries and with 2,000+ employees, CCM provides a wide variety of roofing and waterproofing products, insulation, metal roofing, spray foam insulation, acrylic and silicone roof coatings, air and vapor barriers, duct sealants, equipment, and hardware.

LOCALIZED FIELD SERVICE REPRESENTATIVES

Carlisle employs the industry's largest network of Field Service Representatives (FSRs) to offer localized project support and applicator training. Carlisle FSRs are proficient in the installation of all Carlisle roofing systems and can assist construction professionals by providing technical support and investigative services. FSRs also perform roof inspections on all warranted jobs and inspect every detail on the roof.

Carlisle introduced

SecurShield[™] HD

cover board, a high

density closed-cell

polvisocvanurate

alass facer.

lation with a coated


EXTENSIVE ROOF SYSTEM WARRANTY OPTIONS

Carlisle issues approximately 15,000 warranties each year, with terms ranging from five to 30 years in length. Carlisle's industry-leading warranties offer building owners unparalleled leak coverage, are transferrable, and are available with optional hail, wind, and accidental puncture coverage.



QUALITY-FOCUSED AUTHORIZED APPLICATOR NETWORK


Fewer than 10% of all roofing contractors in the United States and Canada qualify to become Carlisle Authorized Applicators, ensuring that only the most skilled contractors are permitted to install Carlisle roof systems.



Single-Ply Systems & Attachment Options

TRADITIONAL ADHERED SYSTEMS

Carlisle's adhered systems offer unparalleled wind uplift protection, making them ideal for high elevations, hurricaneprone areas, and other places where wind is a concern. Carlisle manufactures a variety of membranes for use in adhered systems, including EPDM, TPO, PVC, KEE HP, and FleeceBACK.



BALLASTED SYSTEMS

Ballasted systems are comprised of loose-laid membrane that is held in place by stone or pavers. Advantages of a ballasted roof system include:


- » Very economical choice for large, wide-open rooftops
- » Excellent hail damage protection
- » Known as the original sustainable roof
- » Ballast helps reduce noise from exterior sources



RAPIDLOCK ADHERED SYSTEMS

Carlisle's RapidLock (RL) systems use a revolutionary membrane attachment method that provides an adhered system with no adhesives. The RapidLock systems use VELCRO® Brand Securable Solutions along with FleeceBACK RL EPDM or FleeceBACK RL TPO to achieve performance that is on par with traditional adhered single-ply systems. Underlayment options include InsulBase® RL and SecurShield HD RL Polyiso. RapidLock systems' features and benefits include:

- » No adhesives, VOCs, or odors
- » Adhesive-less system saves time and labor
- » Easy to install with an adhered slip sheet
- » Excellent resistance to hail and punctures
- » Factory Mutual 1-90 approval rating
- » No application temperature restrictions




* Artist rendering, please see RapidLock Roofing Systems Product Data Sheet for complete details.

MECHANICALLY FASTENED OPTIONS

Mechanically fastened systems are lightweight, cost-effective, and easy to maintain. Carlisle offers a full line of pre-assembled plates and fasteners that dramatically improve installation speed. Mechanically fastened systems are an ideal choice for areas that experience moderate winds, as they are held in place by the plates and fasteners that are secured through the membrane and into the deck.






FLEECEBACK ADHERED SYSTEMS

Carlisle's industry-leading FleeceBACK EPDM, TPO, and PVC roofing systems are ideal for buildings that require superior protection and long-term durability. These innovative roofing systems offer the following benefits:

- » Enhanced durability with fleece reinforced sheet
- » Superior wind uplift performance
- » Excellent hail, puncture, and tear resistance
- » Quiet, low-odor installation
- » Lightweight, with fewer seams than modified bitumen



ADHERED ATTACHMENT OPTIONS

Carlisle offers an extensive line of adhesives for use in adhered systems:

- » Traditional bonding adhesives
- » Low-VOC adhesives
- » Water-based adhesives
- » Two-component urethane adhesives
- » Asphalt-based products

FEATURED PRODUCT CAV-GRIP[™] III

Carlisle's CAV-GRIP III Low-VOC Adhesive/Primer is an innovative option for adhered systems:

- » Can be used to adhere all FleeceBACK membranes and standard TPO and EPDM membranes to vertical walls
- » Can be used to adhere standard TPO and EPDM membranes to horizontal surfaces
- » Can be used in temperatures as low as 25°F (-4°C)
- » Easy setup and cleanup
- » Low odor and low VOC
- » Up to 60% labor savings compared to installations using traditional bonding adhesive



EPDM Roofing Systems

With more than 50 years of proven performance, EPDM roofs are defined by their resiliency. Carlisle's Sure-Seal (black) and Sure-White[®] EPDM roofing systems offer solutions for any commercial building and feature superior resistance to UV weathering and hail damage.

ADVANTAGES OF EPDM ROOFING SYSTEMS



TIME-TESTED

Meeting or exceeding ASTM standards, black EPDM roofs have been used for more than 50 years and white EPDM roofs have been used for more than 30 years.



ENERGY EFFICIENT

Black EPDM helps to reduce heating costs in northern climates and white EPDM aids in reducing cooling costs in southern climates.





DURABLE EPDM provides excellent resistance to weathering and hail damage.

quickly than a light-colored roof.

REDUCES CONDENSATION

condensation issues.

Black EPDM helps to melt frost, dew, and ice,

reduces a roof's snow load, and dries more

Black EPDM helps to reduce the potential for

ROOFTOP SAFETY



BALLASTED ROOFING SYSTEMS

Sure-Seal EPDM

- » 50 years of proven performance
- » Industry-leading UV resistance, plus added UV protection from the ballast
- » Energy efficient in a variety of climates
- » Low lifecycle costs and excellent hail resistance
- » Reduces noise from exterior sources
- » Aesthetically pleasing and ideal for concrete decks
- » Described as "the original sustainable roof"

ADHERED SYSTEMS

Sure-Seal EPDM

- » 50 years of proven performance
- » Dark-colored EPDM reduces heating costs in colder climates, where they are generally 3-5 times greater than cooling costs
- » Industry-leading UV resistance
- » Full thickness of weathering material, no internal scrim
- » Superior resistance to hail damage
- » Variety of adhesive options

Sure-White EPDM

- » 30 years of proven performance
- » Industry-leading UV resistance
- » Reduces air-conditioning costs in warmer climates
- » Superior resistance to hail damage
- » Variety of adhesive options
- » Full thickness of weathering material, no internal scrim
- » Zero (no growth) rating for fungal growth

EPDM Pressure-Sensitive Accessories Carlisle's pressure-sensitive accessories save time and money by boosting productivity on the rooftop.



System Options

MECHANICALLY FASTENED SYSTEMS

Sure-Tough[™] EPDM

- » Dark-colored EPDM reduces heating costs in colder climates, where they are generally 3-5 times greater than cooling costs
- » Industry-leading UV resistance
- » Reinforced sheets offer added toughness and puncture resistance
- » Ideal for steel and wood decks
- » Less prone to condensation accumulation under black membrane
- » Quick and economical installation

FEATURED PRODUCT Factory-Applied Tape (FAT)

Carlisle's Factory-Applied Tape enhances seam performance while providing the fastest and easiest way to create a seam between two single-ply membranes.

- » Patented seam technology
- » Consistent seam quality
- » Significant labor savings increases seaming productivity by nearly 75%
- » Reliable performance and excellent peel and shear strengths with no entrapped air bubbles



TPO Roofing Systems

TPO membrane is the fastest-growing segment in the commercial roofing industry, and no manufacturer has more TPO experience than Carlisle. Carlisle's Sure-Weld TPO membranes have an industry-leading thicker and smoother top ply over scrim for enhanced longterm weathering characteristics.

Your building deserves a roofing system provided by the manufacturer that has been at the forefront of TPO research, development, and technology since the inception of TPO as a roofing membrane: Carlisle SynTec Systems.

ADVANTAGES OF SURE-WELD TPO



CLEANER SURFACE



LONG-TERM ENERGY EFFICIENCY IN WARM, SOUTHERN CLIMATES



GREATER WEATHER RESISTANCE



IMPROVED LONG-TERM PERFORMANCE



EXCELLENT HEAT AND UV RESISTANCE

OCTAGUARD XT

Every square foot of Carlisle TPO includes the industry-leading OctaGuard XT Weathering Package. OctaGuard XT technology is comprised of eight performance-enhancing ingredients, including three heat-stabilizing antioxidants, three UV light stabilizers, and organic and inorganic UV absorbers. When combined, these eight ingredients provide a weathering package that is second to none.



APEEL PROTECTIVE FILM

Carlisle's patented APEEL Protective Film guards the TPO membrane's surface from scuffs and dirt accumulation during installation and eliminates the need to clean the roof once the project is complete. Durable and easy to remove, APEEL Protective Film helps to save time and labor, improve aesthetics, and increase customer satisfaction.



Ideal for re-roofing, re-cover, and new construction projects.

SELF-ADHERING TECHNOLOGY

Carlisle's Sure-Weld TPO with Self-Adhering Technology (SAT) comes with adhesive already applied to the bottom ply, making installation faster and easier with no fumes or odors.



- » No odors or VOCs to disrupt building occupants
- » Provides labor savings of up to 80%

SURE-WELD TPO **Roofing System Accessories**

- » Square Tubing Wraps » T-Joint Covers
- » Split Pipe Seals » Molded Sealant Pockets
- » Molded Pipe Seals
- » Pressure-Sensitive Coverstrip
- » Pressure-Sensitive RUSS » Inside and Outside
- Corners
- » Curb Wrap Corners

Sensitive Warning Strip

» Walkway Rolls

» Yellow Pressure-

» Universal Corners

Turn your roof into a canvas with Carlisle's TPO Special Color Program. The leader in single-ply technology offers more pre-formulated colors than any other manufacturer in the marketplace. Carlisle TPO membrane is available in three standard colors - white, gray, and tan, as well as five additional special colors.*



*Color samples printed here are approximations. For actual colors, request a sample of TPO Special Color membrane.



CERTIFIED FABRICATED ACCESSORIES

The most critical and time-consuming portion of a TPO roofing installation is made easier and faster with Sure-Weld Certified Fabricated Accessories (CFA). Carlisle accessories are



stamped with the CFA logo to signify that all pre-fabricated accessories meet the performance standards Carlisle requires.



Scan here to learn why there is still no equal to Carlisle's TPO.

SPECIAL COLOR PROGRAM



PVC Roofing Systems

Sure-Flex PVC single-ply membranes have provided dependable protection and proven performance since the 1960s, making them a popular choice among roofing consultants and specifiers. PVC's excellent resistance to chemicals, grease, fire, and punctures make it an ideal choice for a wide variety of buildings. Carlisle offers a Sure-Flex PVC membrane for virtually any specification, from high-performance KEE HP products to tenacious Type IV PVC.

ADVANTAGES OF SURE-FLEX PVC & KEE HP





FAT RESISTANCE



WELDED SEAMS "BLEED OUT" FOR WELD CONFIRMATION



STRONGER TYPE IV CONSTRUCTION

Sure-Flex PVC and KEE HP membranes provide higher breaking strength, tear resistance, and elongation properties than typical ASTM D4434 Type III/IV PVC Standards. All of Carlisle's bareback and FleeceBACK PVC and KEE HP membranes exceed the ASTM standards.

	Type III	Type IV	% Increase	Sure-Flex PVC	Sure-Flex KEE HP
Breaking Strength	200	275	38%	330 65 %	320 60 %
Elongation	15	25	66%	25 66 %	30 100 %
Tearing Strength	45	90	100%	¹³⁰ 190 %	125 180 %



QUALITY MANUFACTURING

Carlisle's state-of-the-art manufacturing line constantly monitors over 10,000 data points for quality assurance. With computer-controlled extrusion and constant tension control, you can be confident that Carlisle's high-quality Sure-Flex PVC and KEE HP products will provide long-term protection.

IMPROVED ACCESSORY PERFORMANCE

All of Carlisle's prefabricated and injectionmolded flashing accessories are crafted from KEE HP for improved performance at critical transition areas.





Scan here to download the **Sure-Flex KEE HP & PVC** Accessories Sheet.

FEATURED PRODUCT **KEE HP (High Performance)**

Carlisle's KEE HP-enhanced PVC uses the highest grade of Elvaloy, a plasticizer manufactured by DuPont, and provides several advantages:

- » Resistant to microbial growth and dirt pick-up, helping to maintain reflectivity values and aesthetic appeal
- » Better low-temperature flexibility
- » Excellent resistance to chemicals, fuel, grease, and industrial pollutants



FleeceBACK Roofing Systems

Carlisle's FleeceBACK systems are ideal for new construction and re-roofing projects and are particularly well-suited for Roof Gardens, solar applications, and critical facilities that require superior protection against severe weather. Composed of Carlisle's EPDM, TPO, PVC, or KEE HP membrane adhered to 55-mil fleece, FleeceBACK systems provide long-term protection against high winds, hail, and punctures. FleeceBACK membranes are installed using FAST or Flexible FAST Adhesive for a quiet, VOC-free, low-odor, non-penetrating application.

ADVANTAGES OF FLEECEBACK & FLEXIBLE FAST ADHESIVE

When applied to FleeceBACK membranes, Carlisle's impact-resistant Flexible FAST Adhesive forms a tenacious, interlocking bond with the fibers of the fleece and increases the membrane's resistance to hail and punctures.



Fleece reinforcement creates a thick, durable sheet and increased protection

When adhered directly to concrete, all FleeceBACK membranes pass FM's severe hail test and achieve a UL 2218 class 4 rating



000

Industry-leading wind performance with uplift pressures from 90-945 psf (depending on substrate)



Excellent resistance to punctures and tears



Quiet, low-odor installation – ideal for re-roofing occupied buildings




eighs 75% less with 67% fewer seams than modified bitumen



FleeceBACK TPO, PVC, or KEE HP membranes are ENERGY STAR® qualified and Cool Roof Rating Council (CRRC) certified. The combination of FleeceBACK membranes with Flexible FAST Adhesive increases energy savings by eliminating thermal bridging of mechanical fasteners and insulation joints, providing additional R-value.





FLEECEBACK AFX MULTI-PLY **ROOFING SYSTEMS**

Carlisle's FleeceBACK AFX multi-ply roofing systems are comprised of highly puncture-resistant FleeceBACK AFX EPDM, TPO, or FleeceBACK KEE HP membranes adhered with Carlisle's HotMopped or ColdApplied asphalt adhesive. The FleeceBACK AFX system is ideal for new construction and recovering existing asphalt-based roofing systems. Advantages of a FleeceBACK AFX system include:

- » Fast and guiet installation
- » Low-VOC ColdApplied adhesive
- » Added redundancy
- » Up to 75% fewer seams than modified bitumen
- » Improved resistance to ponding water

FLEECEBACK FR (FIRE-RATED) **TPO ROOFING SYSTEMS**

Carlisle's FleeceBACK FR (Fire-Rated) TPO mechanically fastened roofing systems provides a UL Class A fire rating for direct-to-wood-deck applications. Carlisle's patent-pending FR fleece significantly reduces labor by eliminating the need for multiple layers of base sheet or a gypsum thermal barrier. Advantages of a FleeceBACK FR TPO roofing system include:

- » No VOCs or odors
- » Fleece reinforcement adds toughness, durability, and excellent resistance to hail and punctures
- » Wide window of weldability
- » Enhanced with the OctaGuard XT weathering package, providing exceptional resistance to heat, solar UV, ozone, and oxidation



Scan here to learn more about RapidLock Roofing Systems.

System Options

FEATURED PRODUCT RapidLock **Roofing Systems**

Carlisle's RapidLock (RL) Roofing System is a revolutionary membrane attachment method that provides an adhered system without the use of adhesives. The RL system utilizes VELCRO Brand Securable Solutions along with FleeceBACK RL EPDM or FleeceBACK RL TPO to achieve performance that is on par with traditional adhered single-ply systems. Underlayment options include InsulBase RL or SecurShield HD RL Polyiso. The RapidLock system is free of VOCs and odors, has no application temperature restrictions, and provides significant labor savings due to its simplicity and ease of installation. Advantages of the RapidLock system include:

- » Installation in any temperature
- » No waiting for adhesive string-time or flash-off
- » No stirring or cleanup of adhesives
- » Up to 80% labor savings compared to traditionally adhered single-ply membranes
- » Up to 25% labor savings compared to an adhered FleeceBACK system



Insulation **Products**

Carlisle's insulation products, including lightweight, cost-effective polyisocyanurate (Polyiso) insulation, and expanded polystyrene (EPS) insulation, provide energy-efficient solutions for buildings in any region and climate, as well as outstanding return on investment. Carlisle features an array of options, including standard-density, high-density, and non-halogenated Polyiso.




ADVANTAGES OF POLYISO

- » Highest R-value per inch of any commercially available insulation
- » Minimal water absorption and vapor transmission
- » Compatible with all single-ply membranes
- » Exceptional fire resistance
- » Long-term thermal resistance
- » Superior compressive strength and design flexibility
- » Outstanding installed cost advantages


STANDARD DENSITY

Carlisle's standard-density Polyiso options include InsulBase, SecurShield, and SecurShield CD. All of Carlisle's SecurShield products provide outstanding moisture resistance.



HIGH DENSITY 1/2"

Carlisle's high-density 1/2" coverboard options include SecurShield HD. SecurShield HD Plus, and SecurShield HD FR (fire rated). These coverboards excel in hail protection and resistance to foot traffic.



COMPOSITE BOARDS

Carlisle's composite boards include StormBase[®] and SecurShield HD Composite. These single-product solution boards are known for their labor saving benefits because they eliminate the need for a separate cover board and reduce inter-ply adhesives.





NON-HALOGENATED INSULBASE NH & SECURSHIELD NH

Declare.

Polyiso Board Insulation Carlisle SynTec

Carlisle's new non-halogenated (NH) InsulBase and SecurShield Polyiso offer an environmentally friendly insulation option with the same performance characteristics as traditional Polyiso. Advantages of NH InsulBase and SecurShield Polyiso include:

- » Living Building Challenge "Red List Free" - Declare Label
- » Zero halogenated flame retardants
- » Zero ozone-depleting components
- Environmentally friendly »
- Same proven performance as traditional InsulBase and » SecurShield Polyiso



Scan here to see more information on Carlisle's **ChannelDry EPS Insulation.**




FEATURED PRODUCT **ChannelDry**[®] **EPS Insulation**

Carlisle's revolutionary ChannelDry EPS Insulation is ideal for new construction projects with structural concrete or lightweight structural concrete roof decks. When used in conjunction with one-way and two-way pressure relief vents, ChannelDry allows installation of

the roof system to begin upon structural cure of the concrete.

- » Facilitates air movement within roofing system
- » Compatible with structural lightweight concrete and lightweight insulating concrete decks
- » Allows roof installation to begin upon structural cure of concrete
- » Compatible with mechanically fastened, ballasted, induction-welded, and adhered (only with cover board or additional Polyiso) roof systems
- » Additional layers of insulation can be installed above ChannelDry
- » R-value of 7.1 per 2"-thick board



- 1 Pressure Relief Vent
- **(2)** Carlisle Approved Membrane
- **3** SecurShield Polyiso Insulation
- **(4)** ChannelDry Vented EPS Insulation
- (5) Structural or Lightweight Structural Concrete Deck

Air & Vapor Barriers

Carlisle offers the roofing industry's widest variety of air and vapor barriers and temporary roof products. Deck types, climate conditions, jobsite conditions, and project schedules determine what type of air and vapor barrier should be used on a project. Carlisle offers VapAir Seal self-adhered SBS membranes, as well as SureMB modified bitumen membranes that can be mopped in asphalt, cold applied, or torched.

ADVANTAGES OF AIR & VAPOR BARRIERS

- » Included in Carlisle's Total System Warranty
- » Easily flashed with Elastoform Flashing or VapAir Seal Flashing Foam to seal around penetrations
- » Simple installation processes improve the quality of the air and vapor barrier system
- » Tough, durable membranes can handle jobsite traffic

VAPAIR SEAL 725TR

- » Simple peel-and-stick installation
- » Can be used as a temporary roof for up to 120 days
- » Insulation can be adhered directly to the air and vapor barrier, eliminating the need for fasteners



MODIFIED BASE SHEETS

Modified base sheets offer additional options for air and vapor barriers as well as temporary roofs. Deck type, jobsite conditions, and weather can dictate which product is the best option. Modified sheets can improve temporary roofs' durability and can be installed in a wider range of weather conditions than self-adhered products.

- » Vented Base Sheet a non-porous sheet designed to vent vapor through channels on the bottom surface. This product is constructed with a fiberglass mat coated with weathering-grade asphalt.
- SureMB 120TG a smooth-surfaced, torch-grade SBS base ply reinforced with a fiberglass mat that is saturated and coated with high-quality asphaltic bitumen and SBS elastomers for durability and flexibility. This product is compatible with Carlisle's polyurethane adhesives for insulation attachment.
- SureMB 90 Base Ply a smooth-surfaced, asphaltapplied SBS base ply reinforced with a fiberglass mat that is saturated and coated with high-quality asphaltic bitumen and SBS elastomers for durability and flexibility. This product is compatible with Carlisle's polyurethane adhesives for insulation attachment.



FEATURED PRODUCT VapAir Seal MD

- » Only self-adhered air and vapor barrier that meets FM 4450 or UL 1256 fire ratings
- » Eliminates the need for an additional thermal barrier on metal decks, saving time and money
- » Easy installation

AIR & VAPOR BARRIER FIELD GUIDE

- » Industry's first comprehensive air and vapor barrier field guide
- » Air and vapor barrier product information
- » Installation instructions
- » Details to complete the air and vapor barrier system





Scan here to download a copy of the field guide.

SecurEdge Perimeter Roof Edge Systems

Carlisle's SecurEdge perimeter roof edge systems are the first line of defense against wind, ensuring a polished perimeter and long-lasting protection. Carlisle's unmatched line of roof edge products is available in a range of materials, profiles, and color options to meet any project's needs.

ADVANTAGES OF SECUREDGE FASCIA & COPING SYSTEMS

- » All systems are factory-fabricated and ANSI/SPRI ES-1 tested to meet International Building Code requirements
- » Engineered cleats with pre-punched fastening slots facilitate quick, easy, and precise installation
- » Can be warranted for up to 30 years under Carlisle's Golden Seal Total Roofing System Warranty
- » Finish warranties of up to 35 years are available for Kynar 500[®] and Hylar 5000[®] PVDF finishes
- » Available in 30 standard colors; custom finishes and colors are available upon request



		_	15 MARCH
Bone White	Regal White	Sandstone	Drexalume™
Almond	Sierra Tan	Buckskin	Champagne
Medium Bronze	Mansard Brown	Dark Bronze	Metallic Copp
Burgundy	Colonial Red	Terra Cotta	Brilliance Red
Hartford Green	Forest Green	Hemlock	Preweathered Galvalume®
Patina Green	Aged Copper	Teal Blue	Bright Silver
Deep Blue Sea	Pacific Blue	Slate Blue	Dove Gray

Colors shown are representative of the prefinished KYNAR and PVDF colors but not exact matches. Actual metal color chips are available upon request and should be used for final color approval.



SECUREDGE ONE/200/2000

- » More than 20 different fascia, coping, and gutter systems
- » Fascia and coping products are ANSI/SPRI ES-1 tested and FM-approved

SECUREDGE 300/3000

- » More than 15 different fascia, coping, and gutter systems
- » Fascia and coping products are ANSI/SPRI ES-1 tested and FM-approved

SECUREDGE 400/4000

- » 10 different fascia, coping, and gutter systems
- » All fascia and coping products are ANSI/SPRI ES-1 tested

Easy, snap-on installation; no heat-welding or stripping-in



FEATURED PRODUCT SecurEdge 4000 Fascia

- » ANSI/SPRI ES-1 tested to comply with international building codes
- Cost-effective, high-performance product with minimal lead time



Skylights & Accessories

Carlisle offers conventional aluminum-framed skylights as well as a variety of roof accessories. Carlisle's SunWeld[™] and SunPath[™] skylights focus on energy efficiency by bringing daylight into the building while keeping it water-tight. Carlisle's roof accessories focus on improving productivity and efficiency and include items such as roof drains, pipe supports, counterflashing, scuppers, and downspouts.

SKYLIGHTS

SunWeld and SunPath Skylights

- SunWeld aluminum-framed skylights can be manufactured in almost any size and are available with multiple glazing options in both curb-mount and self-flashing configurations.
- » SunPath Tubular skylights are available in various sizes and are great for bringing daylight to hard-to-reach areas inside buildings. SunPath Tubular skylights are ENERGY STAR gualified for all climate zones.



All Carlisle skylights are backed by a 10-year, leak-free guarantee.

- » All Carlisle skylights meet OSHA Fall Protection guidelines.
- » Carlisle offers a variety of accessories with both SunWeld and SunPath Skylights to enhance fall protection, security, and user experience. These offerings include fall protection screens, burglar bars, and interior finish accessories.



ACCESSORIES

- » Roof Drains Carlisle has two types of retrofit roof drains that are easy to install and come in sizes ranging from 2"-6".
- » LIQUISEAL® Liquid Flashing -LIQUISEAL is a liquid-applied flashing system that can be used with all Carlisle membranes to create a water-tight seal around irregularly shaped roof penetrations.
- » Pipe Supports Pipe supports are offered in three sizes to prevent pipes from sagging or damaging the roof.
- » Counterflashing, Scuppers & Downspouts In addition to our SecurEdge perimeter roof edge systems, Carlisle offers high quality drainage and finishing components to match the perimeter metal.



FEATURED PRODUCT SpeedTite[®] Roof Drain

- » Can be installed in minutes without special tools
- » Uses vortex breaker technology to flow like a new construction drain
- » Covered under Carlisle's total system warranty
- Heavy-duty aluminum body, strainer, and clamping ring will not rust

Roof Garden Roofing Systems

Carlisle's traditional layered and pre-grown modular Roof Garden systems incorporate a variety of high-performance components, including waterproofing membranes, drainage and water retention layers, engineered growth media, and vegetation options. Offering such a wide range of products allows Carlisle to meet specification requirements for extensive, semi-intensive, and intensive systems.

ADVANTAGES OF ROOF GARDENS

helping to prevent flooding.





INCREASED AMENITY SPACE Add beautiful, usable outdoor space to buildings.



REDUCED URBAN HEAT ISLAND EFFECT Sunlight is absorbed by rooftop vegetation instead of being reflected back into the atmosphere.



 EXTENDED SERVICE LIFE Protect the underlying roof system from weathering and physical damage.



INDUSTRY-LEADING WARRANTY COVERAGE

Carlisle's industry-leading, single-source warranties protect the Roof Garden components as well as the underlying roof system. Overburden removal warranties, as well as warranties that cover vegetation, are also available.



Scan here to watch a video about a Roof Garden in Denver, CO.



FEATURED PRODUCT **MiraDRAIN[®] G4 Drainage Composite**

Carlisle's MiraDRAIN G4 Drainage Composite combines filter fabric, moisture retention mat, drainage mat, and heavy-duty protection fabric into a single, easy-to-apply product specifically designed for vegetated roofs.



Innovative **Products**

Productivity Boosting Products

RAPIDLOCK TECHNOLOGY

RapidLock (RL) is an adhesive-less adhered system that uses VELCRO Brand Securable Solutions to attach 115-mil FleeceBACK RL EPDM or TPO to InsulBase RL or SecurShield HD

RL polyiso insulation. Advantages of the RapidLock Roofing System include:

- » No VOCs, adhesives, or odors
- » Easy installation saves time and labor
- » Excellent resistance to hail and punctures
- » No temperature application restrictions

CHANNELDRY EPS

Ideal for new construction projects with structural or lightweight concrete roof decks, Carlisle's ChannelDry EPS insulation allows installation of the roof system to begin upon structural cure of the concrete,



BEST

COMMERCIA

PRODUCT

Advantages of ChannelDry EPS insulation include:

- » Facilitated air movement within roofing system
- » Compatibility with mechanically fastened, ballasted, induction-welded, and adhered (only with cover board or additional polyiso) roof systems
- » R-value of 7.1 per 2"-thick board

APEEL PROTECTIVE FILM

Patented APEEL Protective Film guards TPO membrane against scuffs and dirt accumulation during construction and eliminates the need to clean the roof after installation. Advantages of APEEL Protective Film Include:

- » Enhanced durability; easy removal
- » Increased productivity with through time and labor savings
- » Improved aesthetics with the membrane being protected during installation

OPTIM-R VACUUM INSULATED PANEL (VIP)

Carlisle's OPTIM-R is a high-R-value vacuum insulated panel (VIP) insulation. OPTIM-R provides a lowprofile solution when height restrictions will not allow for the code-required or building



owner-desired insulation values. Advantages of OPTIM-R include:

- » Provides an R-38 insulating value in a 2.6" system thickness
- » Provides up to five times the R-value of commonly used insulation products

VACUSEAI [™] VENT SECURED **ROOFING SYSTEM**

Carlisle's revolutionary VacuSeal Vent Secured Roofing System leverages the power of the wind to hold the roof securely in place without the use of adhesives and fasteners. Using specialized V2T Vents, the VacuSeal Vent Secured Roofing System




creates negative air pressure that removes excess air beneath the roof membrane, creating a suction effect that strengthens the roof and holds the membrane securely in place. Advantages of the VacuSeal Vent Secured Roofing System include:

- » Reduced installation time
- » No cold weather limitations
- » Increased savings each V2T Vent replaces seven buckets of adhesive, 1,000 screws, or 24,000 lbs. of ballast
- » V2T Vents contain no moving parts and are made from **UV-resistant PVC**



SURE-WELD SAT (SELF-ADHERING **TECHNOLOGY) TPO MEMBRANE**

Carlisle's Sure-Weld SAT (Self-Adhering Technology) membrane is a heat-weldable. single-ply thermoplastic polyolefin (TPO) sheet designed for adhered



roofing systems in new construction and re-roofing applications. Productivity-boosting advantages of Sure-Weld SAT include:

- » Consistent adhesive application
- » No need to apply bonding adhesive
- » Increased time savings with no flash-off time required
- » Up to 80% labor savings compared to traditional bonding adhesive

FACTORY-APPI IED TAPE

Carlisle revolutionized the single-ply industry with the first EPDM field manufactured sheet with Factory-Applied Tape. Available on all of Carlisle's EPDM membranes, Factory-Applied Tape saves time and money by providing the following advantages:



- » Enhanced seam performance with fewer wrinkles
- » Reliable performance; excellent peel and shear strengths with no entrapped air bubbles
- » Reduced time and labor; seaming productivity improved by nearly 75%
- » Maximized splice area with consistent placement

Scan here to view all of our productivity boosting products.





CAV-GRIP III LOW-VOC ADHESIVE/PRIMER

Carlisle's CAV-GRIP III Low-VOC Aerosol Contact Adhesive/ Primer can be used for adhering all FleeceBACK membranes, standard TPO, and standard EPDM to vertical walls, and adhering standard TPO membranes to horizontal surfaces. Saving both time and labor, CAV-GRIP III provides the following productivity-enhancing features:

- » No stirring required
- » Quick application with spray gun
- » Fast tack time (less than 5 minutes)
- » Up to 60% labor savings compared to traditional bonding adhesive



SURE-FLEX PVC AND SURE-WELD TPO **UNIVERSAL CORNERS**

Carlisle's laborsaving, pre-molded Sure-Weld TPO and Sure-Flex PVC Universal Corners are ideal for flashing corners on a variety of details. These accessories provide the following laborsaving benefits:

- » Up to 60% labor savings compared to traditional field fabrication
- » Quick and simple installation with no stretching required



» One product that can be used for both inside and outside corners

SURE-SEAL AND SURE-WHITE EPDM 20" PRESSURE-SENSITIVE CURED FLASHING

Carlisle's Sure-Seal and Sure-White 20" Pressure-Sensitive (PS) Cured Flashing is pre-cut with factory-applied SecurTAPE[™] and offers an effective. laborsaving method of flashing



curbs. Productivity-boosting benefits include:

- » Up to 70% time savings for flashing curbs and walls
- » No need for counter flashing on new self-flashing metal curbs

EXPERIENCE THE CARLISLE DIFFERENCE

Carlisle SynTec Systems' U.S. Locations





800-479-6832 | P.O. Box 7000 | Carlisle, PA 17013 | Fax: 717-245-7053 | www.carlislesyntec.com

Carlisle, FleeceBACK, SecurEdge, Factory-Applied Tape, Flexible FAST Adhesive, OctaGuard XT, APEEL, Sure-Seal, Sure-Weld, SAT, Sure-Flex, SecurShield, VapAir Seal, RL, InsulBase, CAV-GRIP, Sure-White, Sure-Tough, StormBase, ChannelDry, SumWeld, SunPath, LIUOISEAL, MiraDrain, VacuSeal, and SecureTAPE are trademarks of Carlisle. Evaloy is a registered trademark of DuPont. VELCR0 is a registered trademark of Velco BVBA. SpeedTite is a trademark of OMG, Inc. ENERGY STAR is a registered trademark of Solvay Solexis. Gavalume is a registered trademark of BV revent. Revent of Drexel Metals, Inc. HYLAR 5000 is a registered trademark of Solvay Solexis. Gavalume is a registered trademark of Drexel Metals, Inc.